

# THE UNITED STATES OF AMERICA

TO ALL TO WHOM THIESE: PRESENTS; SHALL COME:

Hioneer Hi-Bred International, Inc.

DICTORS, THERE HAS BEEN PRESENTED TO THE

# Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE THERETO IS FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT (S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OF OPPERING IT FOR SALE, OR REPRODUCING IT, OR PORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE Æ PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT ED BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

### SOYBEAN

'90Y20'

In Testimonn Mucrest, I have hereunto set my hand and caused the seal of the Hunt Anciety Frotestion Office to be affixed at the City of Washington, D.C. this thirtieth day of July, in the year two thousand and eight.

Plant Variety Protection Office Agricultural Marketing Servic

Colmand To Sha

(See reverse for instructions and information collection burden statement)

GENERAL INSTRUCTIONS: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E, F; (3) for a tuber reproduced variety, verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; and (4) payment by credit card or check drawn on a U.S. bank for \$4,382 (\$518 filing fee and \$3,864 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice). NEW: With the application for a seed reproduced variety or by direct deposit soon after filing, the applicant must provide at least 3,000 viable untreated seeds of the variety per se, and for a hybrid variety at least 3,000 untreated seeds of each line necessary to reproduce the variety. Partial applications will be held in the PVPO for not more than 90 days; then returned to the applicant as un-filed. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a payment by credit card or check payable to "Treasurer of the United States" in the amount of \$768 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. The fees for filing a change of address; owner's representative; ownership or assignment; or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

**Plant Variety Protection Office** 

Telephone: (301) 504-5518 FAX: (301) 504-5291

General E-mail: PVPOmail@usda.gov

Homepage: http://www.ams.usda.gov/science/pvpo/PVPindex.htm

### SPECIFIC INSTRUCTIONS:

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority and provide evidence that the permanent name of the application variety (even if it is a parental, inbred line) has been cleared by the appropriate recognized authority before the Certificate of Protection is issued. For example, for agricultural and vegetable crops, contact: U.S. Department of Agriculture, Agricultural Marketing Service, Livestock and Seed Programs, Seed Regulatory and Testing Branch, 801 Summit Crossing Place, Suite C, Gastonia, North Carolina 28054-2193 Telephone: (704) 810-8870. http://www.ams.usda.gov/lsg/seed.htm.

#### ITEM

19a. Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 19b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties;
  - (1) identify these varieties and state all differences objectively;
  - (2) attach replicated statistical data for characters expressed numerically and demonstrate that these are clear differences; and
  - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 19c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 19d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 19e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 20. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 23. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 24. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 22. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 23. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)
- 24. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)
  U.S. Patent 4,940,835 issued to Shah et al. as per the Roundup Ready Gene in this variety.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gethering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, ege, disability, and where applicable, sex, marital status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individuefs income is derived from any public assistance program (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotepe, etc.) should contect USDA's TARGET Center at (202) 720-2500 (voice and TDD).

To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Weshington, D.C. 20250-9410, or call (600) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

## Exhibit A. Origin and Breeding History of the Variety

Soybean Variety 90Y20

Variety 90Y20 evolved from a cross made in the summer of 2000 in Minnesota with the following parentage:

Parentage = YB009A99/91B03\*

YB009A99 = J009/W10381-022

W10381-022 = 9091/A2234

9091= P85/P1677

\* 91B03 is a commercial variety with the Roundup Ready® (40-3-2) gene

Variety 90Y20 is an F4-derived line which was advanced to the F4 generation by modified single-seed descent. The F4 progeny row of 90Y20 was grown in a plant row yield trial in Minnesota in the summer of 2002. Subsequently, 90Y20 has undergone five years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants. On the basis of yield, Phytophthora resistance, iron deficiency chlorosis resistance, and resistance to Roundup® branded herbicides; variety 90Y20 was assigned a commercial number.

The purification block was grown in the summer of 2005 in Minnesota and 47 sub-lines were harvested. A quarter (0.25) acre increase was grown in Chile in 2004/2005. eleven (11) acres of parent seed stock (foundation seed equivalent) were grown in the summer of 2006. Approximately 373 acres of seed stock and production seed were grown in the summer of 2007.

# Exhibit B. Statement of Distinctness

Soybean Variety 90Y20

Variety 90Y20 is most similar to DeKalb variety DKB0273. Both varieties have purple flowers, light tawny pubescence, yellow seeds with brown hila. However, 90Y20 has resistance to *Phytophthora megasperma* as governed by the Rps1k gene, whereas DKB0273 has no major gene for resistance to *Phytophthora megasperma*. Additionally 90Y20 carries resistance to Roundup Ready® herbicides, and DKB0273 does not have resistance to Roundup Ready® herbicides.

REFRONCE LOCALLY, Include form number and date on all reproductions.

According to the Paperwork Reduction Act of 1995, en egency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Weshington, D.C. 20250-9410, or cell (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

### U.S. DEPARTMENT OF AGRICULTURE

**EXHIBIT** 

AGRICULTURAL MARKETING SERVICE **SCIENCE AND TECHNOLOGY** PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MD 20705

**OBJECTIVE DESCRIPTION OF VARIETY** Soybean (Glycine max (L.) Merr.)

NAME OF APPLICANT (S)	TEMPORARY OR EXPERIMENTAL DESIGNATION	VARIETY NAME
Pioneer Hi-Bred International, Inc.	XB02K07	90Y20
ADDRESS (Street and No. or RD No., City, State, Zip Code, and Country, 7300 N.W. 62nd Avenue, P.O. Box 1004, Joh	•	FOR OFFICIAL USE ONLY  PVP NUMBER  # 2 0 0 8 0 0 1 0 6
PLEASE READ ALL INSTRUCTIONS CAREFULLY: Place the appropriate number that describes the varietal of the place a zero in the first box (e.g., 0 9 9 or 0 9 should be based on a minimum of 100 plants. Comparationary recognized color standard may be used to determine all questions for your variety; lack of response may delay	) when number is either 99 or less or 9 or less respect ve data should be determined from varieties entered in plant colors; designate system used	ively. Data for quantitative plant characters
A. MORPHOLOGY:		
Seed Shape:  1 = Spherical (L/W, L/T, and T/W ratios ≤1.2)  3 = Elongate (L/W ratios > 1.2; T/W ratios ≤ 1.2)	2 = Spherical-Flattened (L/W ratios> 1.2; L/T ratios ≤ 1.2 4 = Elongate-Flattened (L/T ratios ≥ 1.2; L/W ratios ≥ 1.2	
Seed Coat Color:  * 1 1 = Yellow 2 = Green 3 = Brown  Seed Coat Luster:  1 1 = Dull 2 = Shiny		
Seed Size:  * 16.0 grams/100 seeds (rounded to find the fillum Color:	the nearest decimal (00.0))	
* 3 1 = Buff 2 = Yellow 3 = Brown 7 = Other (Please specify)	wn 4 = Gray 5 = Imperfect Black	6 = Black

## A. MORPHOLOGY: (continued)

Cotyledon Color:

Seed Protein Peroxidase Activity:

$$2 = High$$

Hypocotyl Color:

('Woodworth' or 'Tracy')

4 = Dark Purple extending to unifoliolate leaves ('Hodgson', ('Beeson' or 'Pickett 71') 'Coker', or 'Hampton 266A')

Leaf Shape:

Flower Color:

Pod Color:

Pubescence Color:

Plant Habit:

Maturity Group:

$$2 = 00$$
  
 $7 = IV$ 

$$7 = IV$$
  
 $12 = I$ 

Maturity Subgroup:

Please enter a value from 0-9

# B. DISEASE REACTIONS: 0 = Not Tested

NOTE: Failure to supply information for at least 5 of the following disease reactions will result in significant delay in the examination process. Items denoted by and asterisk are the disease reactions most useful in the examination process.

Bacterial

- Bacterial Pustule (Xanthomonas campestris pv. glycines (Nakano) Dye)
- Bacterial Blight (Pseudomonas syringae pv. glycinea (Coerper) Young, Dye, & Wilkie)
- Wildfire Blight (Pseudomonas syringae pv. tabaci (Wolf & Foster) Young, Dye, & Wilkie)

Fungal

- Brown Spot (Septoria glycines Hemmi)
- Frogeye Leaf Spot (Cercospora sojina Hara) 0
- 0 race 1
- 0 | race 3
- 0 Irace 5

- race 2
- 0 race 4
- 0 race 6
- - Important: Any other races tested (Please specify)

В.	DISE	ASE	REAC <sup>1</sup>	TIONS:	(continued)
----	------	-----	-------------------	--------	-------------

	0	Target Spo	t (Coi	rynespora cas	ssiicol	a (Berk. & Cu	rt.) V	Vei)			
	0	Downy Mile	dew (/	Peronspora tr	rifolior	um var. manc	hurid	a (Naum.) Syd	d. Ex	Gäum)	
	0	] Powdery M	lildew	(Microsphae	ra diff	usa Cke. & Pk	٤.) ٔ				
	0	] Brown Ster	n Rot	(Phialophora	a grega	ata (Allington	& Cl	namberlain) W	Gar	ms.)	
*	0	Stem Cank	er ( <i>Di</i>	iaporthe phas	eoloru	um (Cke. & Ell	.) Sa	acc. var. cauliv	ora /	Athow & Cald	well)
*	1	Pod and St	em B	light ( <i>Diaporti</i>	he pha	aseolorum (Cl	œ. &	Ell.) (Sacc. va	ar. sc	ojae (Lehman)	) Wehm.)
	0	Purple See	d Sta	in (C <i>ercospoi</i>	ra kiku	<i>ıchii</i> (T. Matsu	: 1. & <sup>-</sup>	Tomoyasu) Ga	rder	er)	
	1	Rhizoctonia	a Roo	t Rot ( <i>Rhizo</i> c	tonia :	solani Kühn)					
	0	Asian Soyb	ean F	Rust ( <i>Phakos</i> j	pora p	achyrhizi Syd	w. (a	a.k.a. <i>Phakosp</i>	ora į	oachyrhizia S	ydw.))
	0	Other (	(Pleas	se specify)							
pe	cify	the gene(s)	codin	g for reaction	to Ph	ytophthora Ro	oot F	Rot.			
	0	Rps1 (Williams)	0	Rps1-c (Arksoy)	2	Rps1-k (Kingwa)	0	Rps3-b (Pl 172.901)	0	Rps5 (Pl 91.160)	Rps? (Nezumisaya, OX939, OX94)
	0	Rps1-a (Mukden)	0	Rps1-d (PI 103.091)	0	Rps2 (CNS)	0	Rps3-c (Pl 340.046)	0	Rps6 (Altona)	
÷	0	Rps1-b (Sanga)	0	Rps1-e (Pl 172.907)	0	<i>Rps3-a</i> (Pl 171.442)	0	Rps4 (Pl 86.050)	0	Rps7 (Harosoy)	
Phy	/top	hthora Root	Rot (	Phytophthora	sojae	e (Kaufmann 8	k Ge	rdemann))			
		race 1	0	ו		race 17	0	1	0	race 32	0 race 39
	0	race 2	0	race 10	0	race 18	0	race 26	0	race 33	0 race 40
	0	race 3	0	race 11	0	race 19	0	race 27	0	race 34	0 race 41
	0	race 4	0	race 12	0	race 20	0	race 28	0	race 35	0 race 42
.	2	race 5	0	race 13	0	race 21	0	race 29	0	race 36	0 race 43
	0	race 6	0	race 14	0	race 22	0	race 30	0	race 37	0 race 44
	2	race 7	0	race 15	0	race 23	0	race 31	0	race 38	0 race 45
	0	race 8	0	race 16	0	race 24	0	Important: Ar	y otl	ner races test	ed (Please specify)
	1	Dud Bliaht (	Tobac	cco Ringspot	Viruo						
. l				ean Yellow M							
*			•	Cowpea Chic		•					
. [		·-		Pod Mottle V		• II (13)					
] * [			-	bean Mosaic		1					
l Je:			(00)	2001111100010	7 II GO,	•					
vel	mate	oue									
Soy				(Heterodera	<u> </u>	•		·			
[	$\equiv$	race 1			] race						
	0	race 2	0 ra	ace 5	) race	≥ 14					

Important: Any other races tested (Please specify)

	DI	SEASE REACTIONS: (continued)
	0	Lance Nematode ( <i>Hoplolaimus columbus</i> Sher)
	0	Southern Root Knot Nematode ( <i>Meliodogyne incognita</i> (Kofoid & White) Chitwood)
	0	Northern Root Knot Nematode ( <i>Meliodogyne hapla</i> Chitwood)
	0	Peanut Root Knot Nematode ( <i>Meliodogyne arenaria</i> (Neal) Chitwood)
	0	Reniform Nematode ( <i>Rotylenchus reniformus</i> Linwood & Olivera)
	0	Javanese Nematode ( <i>Meliodogyne javanica</i> (Treub) Chitwood)
	0	Important: Other Nematodes tested (Please specify)
	U	Important. Other remainded today (Ficade speelify)
C.	Pŀ	IYSIOLOGICAL RESPONSES: 0 = Not Tested 1 = Susceptible 2 = Resistant 3 = Tolerant
	2	Iron Chlorosis on Calcareous Soil
	0	Phosphorus 0 Important: Other (Please specify)
	0	Boron
	0	Aluminum
	0	Salt
	0	Drought
D.	INS	SECT REACTIONS: 0 = Not Tested 1 = Susceptible 2 = Resistant 3 = Tolerant
D.	IN:	
D.	0	Mexican Bean Beetle ( <i>Epilachna varivestis</i> Mulsant)
D.	0	Mexican Bean Beetle ( <i>Epilachna varivestis</i> Mulsant) Soybean Aphid ( <i>Aphis glycines</i> Matsamura)
D.	0	Mexican Bean Beetle ( <i>Epilachna varivestis</i> Mulsant) Soybean Aphid ( <i>Aphis glycines</i> Matsamura) Potato Leaf Hopper ( <i>Empoasca fabae</i> (Harris))
D.	0	Mexican Bean Beetle ( <i>Epilachna varivestis</i> Mulsant) Soybean Aphid ( <i>Aphis glycines</i> Matsamura)
	0 0 0	Mexican Bean Beetle ( <i>Epilachna varivestis</i> Mulsant) Soybean Aphid ( <i>Aphis glycines</i> Matsamura) Potato Leaf Hopper ( <i>Empoasca fabae</i> (Harris))
	0 0 0	Mexican Bean Beetle ( <i>Epilachna varivestis</i> Mulsant)  Soybean Aphid ( <i>Aphis glycines</i> Matsamura)  Potato Leaf Hopper ( <i>Empoasca fabae</i> (Harris))  Important: Other (Please specify)
	0 0 0 HE	Mexican Bean Beetle ( <i>Epilachna varivestis</i> Mulsant)  Soybean Aphid ( <i>Aphis glycines</i> Matsamura)  Potato Leaf Hopper ( <i>Empoasca fabae</i> (Harris))  Important: Other (Please specify)  RBICIDE REACTIONS: 0 = Not Tested 1 = Susceptible 2 = Resistant 3 = Tolerant
-	0 0 0 HE	Mexican Bean Beetle ( <i>Epilachna varivestis</i> Mulsant)  Soybean Aphid ( <i>Aphis glycines</i> Matsamura)  Potato Leaf Hopper ( <i>Empoasca fabae</i> (Harris))  Important: Other (Please specify)  RBICIDE REACTIONS: 0 = Not Tested 1 = Susceptible 2 = Resistant 3 = Tolerant  Metribuzin  Bentazone
	0 0 0 HE	Mexican Bean Beetle ( <i>Epilachna varivestis</i> Mulsant) Soybean Aphid ( <i>Aphis glycines</i> Matsamura) Potato Leaf Hopper ( <i>Empoasca fabae</i> (Harris)) Important: Other (Please specify)  RBICIDE REACTIONS: 0 = Not Tested 1 = Susceptible 2 = Resistant 3 = Tolerant  Metribuzin
	0 0 0 HE 0	Mexican Bean Beetle ( <i>Epilachna varivestis</i> Mulsant)  Soybean Aphid ( <i>Aphis glycines</i> Matsamura)  Potato Leaf Hopper ( <i>Empoasca fabae</i> (Harris))  Important: Other (Please specify)  RBICIDE REACTIONS: 0 = Not Tested 1 = Susceptible 2 = Resistant 3 = Tolerant  Metribuzin  Bentazone  Sulfonylurea
	0 0 0 0 HE 0 0 1 2	Mexican Bean Beetle (Epilachna varivestis Mulsant)  Soybean Aphid (Aphis glycines Matsamura)  Potato Leaf Hopper (Empoasca fabae (Harris))  Important: Other (Please specify)  RBICIDE REACTIONS: 0 = Not Tested 1 = Susceptible 2 = Resistant 3 = Tolerant  Metribuzin  Bentazone  Sulfonylurea  Glyphosate
<b>E</b> .	0 0 0 0 HE 0 0 1 2	Mexican Bean Beetle (Epilachna varivestis Mulsant)  Soybean Aphid (Aphis glycines Matsamura)  Potato Leaf Hopper (Empoasca fabae (Harris))  Important: Other (Please specify)  RBICIDE REACTIONS: 0 = Not Tested 1 = Susceptible 2 = Resistant 3 = Tolerant  Metribuzin  Bentazone  Sulfonylurea  Glyphosate  Glufosinate

### F. TRANSGENIC COMPOSITION:

Has the development of the subject variety included the insertion of genetic material from an organism other than a soybean, or, the removal of genetic material from the application variety?

If yes, please complete the following information requests\*. Use additional pages if necessary. ✓ ✓ Yes ☐ No

- Please state the vector's name:
- 2. Please state the vector components:
- 3. Please describe the genetic material successfully transferred into the subject variety:
- 4. Please describe the insertion protocol:
- \* A literature citation(s) explaining the four information requests above may be an acceptable alternative to completion of the "Transgenic Composition" portion of this form.

### G. BIOCHEMICAL MARKERS:

Please describe any additional genetic and/or biochemical information which you believe will be helpful in further describing the subject variety here (e.g., Single Nucleotide Polymorphisms (SNPs), Simple Sequence Repeats (SSRs), Restriction Fragment Length Polymorphisms (RFLPs), Isozyme characterization, etc.). Use additional pages if necessary.

### H. STATISTICAL DATA FOR APPLICATION AND CITED MOST SIMILAR VARIETIES:

Please provide paired comparison data and appropriate statistical test (e.g. LSD. Std. error, ANOVA, Mann-Whitney *U*-test or Kruskal-Wallis Test, etc.) value (95 or > probability level).

Variety	No. of days Maturity	Plant height (cm)	% Linoleic acid	% Oleic acid	% Linolenic acid	% Other fatty acids (specify)	% Total oil	% Protein (Plant dried down to%)
Application Variety Year/Location 1			·					
Year/Location 2								
Cited Most Similar Variety Year/Location 1								
Year/Location 2								
LSD .05								

### I. COMMENTS:

### Number 1:

The Transgenic Composition section is fully addressed in the following publication. Specific details of this vector components and insert elements are summarized in Figure 1 and Table 1 on page 1453. Padgett, S.R. et al. Development, Identification, and Characterization of a Glyphosate-Tolerant Soybean Line. 1995. Crop Science. 35:1451-1461.

### Number 2:

90Y20 is rated as resistant to iron chlorosis on calcareous soils. On a scale of one to nine with one being fully susceptible, and nine being complete resistance; 90Y20 is rated seven.

# Exhibit D. Additional Description of the Variety

Soybean Variety 90Y20

In Exhibit C we have identified variety 90Y20 as susceptible to bacterial blight, brown spot, pod and stem blight, rhizoctonia root rot, bud blight, yellow mosaic, cowpea mosaic, pod mottle and seed mottle.

This does not mean that variety 90Y20 is any worse for these problems than other varieties of similar maturity. Rather, we do not consider 90Y20 to be immune to these problems. Therefore, we have chosen to be conservative and have identified the line as "susceptible".

Variety 90Y20 is an early Group 0 variety. If Group 0 varieties are divided into tenths, the relative maturity of 90Y20 is 0.2.

REPRODUCE LOCALLY. Include form number and edition date on al	I reproductions E	ORM APPROVED - OMB No. 0581-0058
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE  EXHIBIT E  STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to dete certificate is to be issued (7 U.S.C. 24 confidential until the certificate is issued.	ermine if a plant variety protection (21). The information is held
1. NAME OF APPLICANT(S)	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME
Pioneer Hi-Bred International, Inc.	XB02K07	90Y20
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	5. TELEPHONE (Include area code)	6. FAX (Include area c∞de)
7300 N.W. 62nd Avenue	(515) 253-2197	(515) 253-2288
P.O. Box 1004	7. PVPO NUMBER	
Johnston, IA 50131-1004	#2008(	0 1 0 6
8. Does the applicant own all rights to the variety? Mark an "X" in th	l e appropriate block. If nø, please expla	- • •
9. Is the applicant (individual or company) a U.S. national or a U.S. b  10. Is the applicant the original owner?  YES  a. If the original rights to variety were owned by individual(s), is the original rights to variety were owned by a company(ies)  b. If the original rights to variety were owned by a company(ies)	NO If no, please answer one (are) the original owner(s) a U.S. Nations  ✓ NO If no, give name of count	of the following: al(s)? ry sed company?
11. Additional explanation on ownership (Trace ownership from original explanation)	nal breeder to current owner. Use the re	everse for extra space if needed):
PLEASE NOTE:	8 - 100 × 11 × 11 × 11	
Plant variety protection can only be afforded to the owners (not licens	sees) who meet the following criteria:	
If the rights to the variety are owned by the original breeder, that p national of a country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords similar protection to nationals of the country which affords are considered.		
2. If the rights to the variety are owned by the company which employ	ved the original breeder(s), the company	must be U.S. based, owned by

- If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by nationals of a country which affords similar protection to nationals of the U.S. for the same genus and species.
- 3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria.

The original breeder/owner may be the individual or company who directed the final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definitions.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 0.1 hour per response, including the time for reviewing the instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marifal or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Weshington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provide and employer.

ST-470-E (04-03) designed by the Plant Variety Protection Office using Word 2000

REPRODUCE LOCALLY. Include form number and date on all reproductions.

According to the Peperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to everage 6 minutes per response, including the time for reviewing instructions, searching existing date sources, gethering and maintaining the date needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliafs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information. (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD) USDA is an equal opportunity provider and employer.

### U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MD 20705

**EXHIBIT F DECLARATION REGARDING DEPOSIT** 

NAME OF OWNER (S) Pioneer Hi-Bred International, Inc.	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country) 7300 N.W. 62nd Avenue	TEMPORARY OR EXPERIMENTAL DESIGNATION XB02K07			
	P.O. Box 1004 Johnston, IA 50131-1004	VARIE 90Y20			
NAME OF OWNER REPRESENTATIVE (S)	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country) 7300 N.W. 62nd Avenue	FOR OFFICIAL USE ONLY			
Paul D. Koelling Cassie J. Prochaska	1	PVPO NUMBER #200800106			

I do hereby declare that during the life of the certificate a viable sample of propagating material of the subject variety will be deposited, and replenished as needed periodically, in a public repository in the United States in accordance with the regulations established by the Plant Variety Protection Office.

D. Hoelling

Jan. 25, 2008